





SYCLOPE ELECTRONIQUE

Since the beginning, my objective was to create reliable and professional equipment of analysis and regulation in order to ensure optimal water treatment of swimming pools, aquatic centers, zoos, hotels, campsites, spas ...

Our equipment is manufactured in France, in our Béarn factory located near Pau where our employees apply themselves every day to offer our partners and customers robust and quality devices.

SYCLOPF:

- A recognized and appreciated expert
- An available and attentive team
- Reliable diagnostics and recommendations
- A must-have

This booklet will give you an overview of some reference sites equipped with our equipment.

Best Regards,

Georges BRETON
Charmain



MUNICIPALE swimming pools Reference sites





COMPETITION OR RELAXATION

STADE NAUTIQUE PAU (64)

Learning pool, play pool with bubble seat, countercurrent river, hydromassage beds, outdoor pool 50 m, pentagliss, water games and solarium, jacuzzi, steam room, sauna ...

ANALYSES & REGULATIONS

Pools equipped with 7 EVASION controllers for the control of water quality







COMPETITION OR RELAXATION

STADE NAUTIQUE PAU (64)

ULTRAFILTRATION

Membrane ultrafiltration unit for the recycling of filter wash waters and optimizing operating costs

CHLORINE GAS

Complete line of chlorine gas for optimal disinfection





HAVE A GOOD TIME

PUBLIC SWIMMING POOL OF BILLERE (64)

Indoor pool, outdoor pool, outdoor paddling pool, playground ...

ANALYSES & REGULATIONS

Pools equipped with controllers of the EVASION range







HAVE A GOOD TIME

PUBLIC SWIMMING POOL OF BILLERE (64)

Indoor pool, outdoor pool, outdoor paddling pool, playground ...

IN-SITU CHLORINE GENERATOR

First municipal swimming pool in New Aquitaine equipped with a salt electrolyser for the chlorine production on site









ENJOY

CENTRE AQUATIQUE GRANVILLE (50)

25m sports pool, learning and activity pool, spa pool, paddling pool, stream river outdoor, bright slide, hammams, sauna ...

ANALYSES & REGULATIONS

Pools equipped with new ALTICE'O controllers





SPORT & WELL-BEING CENTERS

Reference sites





TAKE

SPORT CENTER LES BRUYÈRES (64)

Aquatic area: aquabike, aqua gym, aquastretch, aquaviva, aquaenergy, sauna, steam room, jacuzzi...

ANALYSES & REGULATIONS

Pools equipped with INDIG'O controllers







A LITTLE WELLNESS

WELLNESS CENTER CALICEO

Baths, saunas, steam rooms, water aerobics, aquabike, aquatraining ...

ANALYSES & REGULATIONS

Pools equipped with EVASION controllers with cell housing without waste water







HOTELS & CAMPITES Reference sites





ELEGANCE & RELAXATION

BEAUMONT HOTEL*** (64)**

Indoor heated pool, steam room, sauna, Jacuzzi ...

ANALYSES & REGULATIONS

Pools equipped with TERE'O controllers









SENSE OF VACATION

BLUE OCEAN CAMPSITE (40)

Heated outdoor pool, water aerobics...

ANALYSES & REGULATIONS

Pools equipped with TERE'O controllers

CHLORINE GENERATOR

Chlorine production on site by salt electrolysis







A BEAUTIFUL ISLAND

CASA E NATURA CAMPSITE (2A)

Heated outdoor pool with 2 integrated spas ...

ANALYSES & REGULATIONS

Pools equipped with the TERE'O range for optimal regulation

CHLORINE GENERATOR

Chlorine production on site by salt electrolysis







ZOOLOGICAL PARKS

Reference site



OPENING OPENING

MARINELAND (06)

Sea lions, killer whales, dolphins, sea turtles, sharks, penguins ...

ANALYSES & REGULATIONS

Pools equipped with EVASION controllers





EYE OPENING

MARINELAND (06)

Sea lions, killer whales, dolphins, sea turtles, sharks, penguins ...





OUR PRODUCT RANGE

Controllers, probes, dosing ...

ANALYSES & REGULATIONS

Mono or multi-parameters, multi-basins, connected...



ALTICE'O

Multi-parameter and multi-basin measurements and controls Touch screen - Remote connection - Bluetooth connectivity Temperature, pH, active chlorine, free and total, combined chlorine, redox, free bromine, BCDMH, DBDMH, ozone, chlorine stabilizer (cyanuric acid), turbidity, conductivity, salinity, flow sensor, flow measurement

Municipal pools, saltwater pools, water parks, zoos, hydrotherapy, thalassotherapy ...



TERE'O Touch

Measurements and regulation of 3 parameters **New** Touch Screen - Remote Connection

Temperature measurement Measurement and regulation of pH and chlorine or bromine

Public pools, campgrounds, hotels, spas, thalassotherapy ...

ANALYSES & REGULATIONS

Mono or multi-parameters, multi-basins, connected...



INDIG'O

Single parameter measurement and regulation pH or redox or chlorine or temperature or bromine

Public pools, campgrounds, hotels, spas, thalassotherapy ...



TRACE'O

Mono or bi-measurement measurement and regulation Measure of absence of chlorine or ozone Remote Connection

Temperature, pH, active chlorine, free and total, chlorine stabilizer (cyanuric acid), chlorine dioxide, chlorites, bromine (BCDMH, DBD-MH, bromides), ozone, oxygen, APA, H2O2, single or dual channel conductivity, flow meter metering

Public pools: control of the destruction of ozone in water before reintroduction into basins



PROBES & MEASURING SENSORS

Amperometric measurements, electrodes ...



- temperature
- pH
- redox (ORP)
- · free, active, total chlorine
- absence of chlorine
- · combined chlorine measurement
- bromine seawater
- · bromine (BCDMH, DBDMH, bromides)
- · chlorine dioxide
- chlorites
- ozone
- stabilizer (cyanuric acid)
- dissolved oxygen
- peracetic acid
- hydrogen peroxide (active oxygen) Inductive or conductive conductivity
- salinity
- turbidity
- •

MEASUREMENT CELL HOUSING

Chambers of gravity measurements, Plexiglas ...

Measuring chambers CANALIZATIONS



- Analyzes WITHOUT LOSS OF WATER
- Single or multi-parameter measurements
- 1 to 4 measured parameters
- · Water intake at the level of overflow chutes
- · Adaptation to PVC, steel, stainless steel or HDPE tubing
- · Easy maintenance
- · Integrated measurement converter
- · Optional flow sensor

PMMA transparent measurement chambers



- Modular or mono-block measuring chambers
- Adaptation to all types of amperometric sensors
- Connection to either sample taken with rejection at sewer or pressure connection (max :: 8 bar)
- Screw-adjusted flow control system micrometric
- Magnetic float for visualization of the circulation fluid
- Material: PVC / EPFM, PVDF / FPM
- Fittings: acetal, PVDF, stainless steel depending on the application

DOSING & STOAGE

Dosing pump, storage ans chlorine gas...

Dosing pumps

- Electromagnetic
- · With motor
- Peristaltics
- Accessories

Storage

- Bins
- Retention tanks

Chlorine gas

Complete line of chlorine gas:

- Pre-regulator
- Inverter
- Flowmeter
- Solenoid valve
- · Booster pump
- · Hydro-ejector
- · Leak detector
- Security









CONTROL EQUIPMENT

Measurement of trichloramine in the air, photometers ...

New

Triklorame: portable measurement of trichloramine in the air



Better protect workers and swimmers

- · Faster and accurate measurement of trichloramine
- Direct reading and indication in mg/m³
- · No reagents or manipulation to measure
- · Complete control autonomy of trichloramine in the air

Trichloramine: very volatile gas irritating to the respiratory tract, eyes and skin. Exposure limit recommended by ANSES: 0,3 mg/m³

Photometers: 3, 6, 9 and 25 parameters





- 3 parameters: chlorine (DPD1), chlorine (DPD3), pH, cyanuric acid (stabilizer)
- 6 parameters: 3 parameters + alkalinity, hardness of calcium
- 9 parameters: free and total chlorine, pH, cyanuric acid (stabilizer), bromine, alkalinity, calcium hardness, free and total copper, iron, ozone
- 25 parameters: 9 parameters + aluminum, ammonia, high concentration chlorine, turbidity, hydrogen peroxide, manganese, nitrate, PHMB, phosphate, salt, sulfate



IN-SITU CHLORINE GENERATOR

On-site chlorine production by salt electrolysis



- · No delivery or handling of hazardous chemicals
- · Standard H2 sensor
- · On-site chlorine generation and production
- · Single electrolysis system for different injection points
- · Simple and low frequency maintenance
- · Skid mounted equipment
- · Easy installation, maintenance and operation



APPLICATIONS

- Public pools
- Aquatic Centers
- Hotels, Campsites
- Any process with injection chlorine

ULTRAFILTRATION - UFPOOL

Recycling of filter wash water



Ultrafiltration unit for the recycling of wash water from pool filters:

- Water savings and cost of operation low
- A solution for environmental and economic water treatment
- · Ready to operate
- Automatic chlorination of ultra-filtered water between the skid and the clean water storage tank
- Optimum filtration quality and optimized life span membranes
- Works with all filtration media: sand, hydro-anthracite, glass ...



EXPERT IN ANALYSIS AND REGULATION

for the treatment of water



SYCLOPE ELECTRONIQUE

Rue du Bruscos - 64230 SAUVAGNON - France Tél.: +33(0)5 59 33 70 36 - Fax : +33(0)5 59 33 70 37 Email : syclope@syclope.fr - Web : www.syclope.fr

