

*pH, Redox (ORP) & Remanent product without chlorine for **private swimming pools***

SIMPLICITY - EFFICIENCY - SECURITY



- Reliable and quiet pumps
- Easy installation
- Low maintenance
- Indication of alarm and dosing
- Compact



COMMUNICATION INTERFACE - GSM, Wifi, Ethernet

Keep connected:

A real-time control of your pool from wherever you are

HYDRO Range

For Private Swimming Pools

pH-Oxidant measure and dosing

HYDRO Range: pH - ORP - pH/ORP - pH+/pH-

HYDRO range, specially designed and studied for **private swimming pools**, ensures the quality, performance and safety of water treatment.

HYDRO range is composed of 4 solutions to optimize private pool water quality.

- Hydro'**pH**: Measure and Control of pH
- Hydro'**ORP**: Measure and Control of Redox (ORP*)
- Hydro'**pH-ORP**: Measure and Control of pH & Redox (ORP*)
- Hydro'**pH+ pH-**: Automatic measure and control of pH+ & pH-

ORP*: power of oxidation by chlorine, bromine or ozone



SPECIFICATIONS :

- 1 or 2 pumps
- 1 pH or/and Redox (ORP) BNC sensor
- 1 or 2 pressure sensor holder
- Clear display of values and instructions
- Pumps of 0,4 - 0,8 - 1,6 - 2,4 l/h
- pH+ / pH- proportional regulation, ORP (redox): dosing power control (proportional coefficient)

Dosing of remanent product without chlorine - Active oxygen

HYDRO'Tempo range: For remanent product dosing

Combinated with HYDRO pH, HYDRO Tempo offers remanent product dosing without chlorine.

HYDRO Tempo allows:

- remanent product dosing with timer,
- compensation of dosing time according to water temperature.



SPECIFICATIONS:

- 1 pump
- 1 daily timer with programmable reserve by walk of 10 min
- 1 power switch
- 1 internal ajustement from 2 to 18 min for time injection
- Automatic operation
- Temperature compensation (option HYD0001)
- Power supply 230 V 50 Hz



MANY ADVANTAGES: Performance, Efficiency & Security

PERFORMANCE

- Automatic control with dosing power adjustment
- Sensors can be used without special mounting needs
- Different pump flow
- Complete accessories kit (foot valve, injection valve, pipe saddle, pH7 solution)

EFFICIENCY

- ON/OFF switch
- Easy calibration
- Clear display of parameters and information concerning dosing state
- Easy maintenance

SECURITY

- Adjustable dosing timer security
- No product overdosing
- Light and display alerts
- Information about product level or filtration stop

HYDRO range can be customized:

- with your company logo and device front-face
- specific technical operating features (to be defined with our R&D department)



HYDRO'Com

Remote control of your swimming pools

HYDRO'Com: Communication interface for private swimming pools

1 ACTIONS & DATA TRANSFER




2 GSM connection:
+ GSM module
+ 3G subscription
(via your operator)

GSM



2 Wifi / Ethernet connection:
connection using an IP
address

**WIFI
ETHERNET**



4 VISUALIZATIONS & CONTROLS

Access to
HYDRO.MYSYCLOPE.COM for
remote control of all pool systems



3

WITHOUT SUBSCRIPTION



SYCLOPE
Electronique

Rue du Bruscos - 64230 SAUVAGNON - France
Tel.: +33(0)5 59 33 70 36 / Fax : +33(0)5 59 33 70 37
syclope@syclope.fr / www.syclope.fr

Stamp retailer